


# Digital Minimalism

Dr SM Chung

Dentium and Genoss



## Digital minimalism

Practical- easy and simple

Daily routine approach with accuracy

Minimal investment of minimal equipment

Good cooperation with dental lab

# Why digital in somatology?

Accurate  
Convenient

## How to apply digital concepts?

BTS (bite tray impression scanning)

CT based occlusal plane

CT check bite

Zr and material development for digital

# Contents


BTS

Diverse applications of CT viewers

Zirconia block


Auxiliary

## Bite Tray impression Scan




- # 26i, 27i, 36i, 37i
- bright Bone Level
- bright 3 layer A3.5
- Stain & Glazing


# Bite Tray impression Scan




Border Trimming



Scan spray



# Working Model




# Final Prosthesis




bright 3 layer A3.5  
Stain & Glazing

Very precise without occlusal adjustment


# Final Prosthesis



Pre-op (2023-09-06)



Post-op (2023-09-06)




Final prosthesis (2023-11-02)



Pre-op CT (2023-09-06)




#21



#22

Pre-op CT (2023-09-06)



#21






#22




Pre-op (2023-09-06)



Surgery (2023-09-06)




Surgery (2023-09-06)




The Trust


Surgery (2023-09-06)



Path pin




Parallel pin





Extraction





Surgery (2023-09-06)







Path pin



Surgery (2023-09-06)




Surgery (2023-09-06)



Suture





Post-op (2023-09-06)



# Intra-oral scanning









CAD (Temporary)




Provisional restoration (2023-11-02)




Impression / Trimming / Scan spray





# Working Model






# CT STL export (rainbow 3D Viewer)




# CT STL & working model stitching





CAD (Final prosthesis)



CT – Cad design stitching




# CAD : Mounting with virtual articulator



# Shade taking(A3)



Hyper dent



**A3 22T 3Layer Block**

## Milling / Coloring / Sintering / Glazing



Inner – White Opaque




Final prosthesis (2023-11-02)











Oral exam



- Bright Impress Light
- Bright Impress Medium
- Bright Impress Heavy
- Bright Impress Bite
- Bright Impress Putty
- Bright Bite Tray






# Impression / Trimming / Scan spray






# Impression scan / Working Model



Shining 3D  
AutoScan-DS-EX Pro (H)



CAD



Final prosthesis



# Contents

BTS

Diverse applications of CT viewers


Zirconia block

Auxiliary

# Virtual Set up



# Virtual Set up



VD 2mm ↑




CT viewer  
Bright CT and Rainbow CT



CT viewer of  
Bright CT  
Rainbow CT


**MAR**  
(Metal Artifact Reduction)



# CT Image Upgrade De-noising with A.I


Sagittal[5]

BEFORE



Sagittal[5]

AFTER




X ray dose is decreased

From 100%  
To 50%  
To finally to only 10%


Dentium



# rainbow™ 3D Viewer




Digital dentistry with



# 3D Viewer AI Occlusal Plane



Auto Set occlusal plane from anatomical landmark on CT



# 3D Viewer AI Occlusal Plane




## Auto Set occlusal plane from anatomical landmark on CT

1) Auto Set the plane

2) Export the CT data


3) All of data stitching

4) Prostheses Design



1) Occlusal plan angle

2) Occlusal plan Vertical height



# 3D Viewer **AI Occlusal Plane**



## Auto Set occlusal plane from anatomical landmark on CT

1) Auto Set the plane

2) Export the CT data


3) All of data stitching

4) Prostheses Design




Final prosthesis


# 3D Viewer AI Auto Arch Detection



## AI Auto Arch Detection



Manual




AI dental arch auto detection, error <1.14mm


# 3D Viewer AI Auto Nerve Detection



## AI Auto Nerve Detection



Manual




AI nerve auto detection, error < 0.42mm

# 3D Viewer AI Auto Fixture Placement



## AI Auto Fixture Placement



Manual





AI Fixture Initial Positioning

# 3D Viewer **Root Axis Viewer**

## Root Axis Viewer


Supports cross-sectional images base on the root axis in panorama



**Dentium**

# 3D Viewer Endo View Visualization


## Endo View Visualization



# Practical digital concept

## Utilization of CT data

- CT stitching for bite taking
- AI Occlusal plane



Pre-op (2023-08-08)




**PMH**  
Heart stent transplants,  
diabetes, hyperlipidemia

Pre-op (2023-08-10)



# Surgery plane with X-ray



## 1<sup>st</sup> Step


Full mouth extraction

All on 4 immediate implantation on **Lower** arch

## 2<sup>nd</sup> Step

All on 6 implantation on **upper** arch

Pre-op CT (2023-08-10)



#46

#33

#43

#46

Post-op CT (2023-08-10)



#46


#33

#43


#46

# CT viewer 활용 평면 설정

## Hard tissue




## Soft tissue




HU값 조절을 통해 Hard/ Soft tissue 모두 pointing 가능

Data stitching  
(CT DICOM + CT plane STL + working model )




CT STL (soft / hard) + plane STL + IOS




Working model  
(Intra Oral Scan data editing)






Data stitching  
(CT DICOM + CT plane STL + working model )






## Virtual Set-up




## Temporary denture design



## Temp denture design







## Temporary Denture (Printing)




Marking hole on Lower printing denture




Surgery (2023-08-21)



Post-op (2023-08-21)



Healing 1 week (2023-08-28)




Pre-op (2023-08-28)

Healing 1 week after extraction


Marking hole on upper printing denture




Pre-op CT (2023-08-21)





Post-op CT (2023-08-28)




Post-op (2023-08-28)





IOS for printing model




Printing model for Temporary denture relining



# Denture duplication for Provisional prosthesis






# CT stitching for bite taking Process







- 1) Impression taking  
(IOS, model scan, **impression scan** etc.)
- 2) CT DICOM → STL export & editing
- 3) CT STL + Impression data stitching
- 4) Dental CAD design & prosthesis delivery

CT stitching




CT STL export & editing



CT STL & working model stitching



Crown design

CAD (Temporary)






Final impression process with Digital

# 1) CT taking with putty index


Purpose of fixing the precise occlusal state




Putty index



Bite checking






CT taking



Final impression process with Digital


## 2) 2 Step impression

1 step : putty impression  
2 step : regular body impression




Final impression process with Digital

### 3) Impression scan without model




Impression scan with model scanner



Final impression process with Digital

## 4) Rainbow 3D viewer : CT data 활용



AI Occlusal plane

Final impression process with Digital


## 4) Rainbow 3D viewer : CT data 활용



CT STL export

Final impression process with Digital

## 5) Dental CAD : data stitching for Digital mounting




CT STL (Hard tissue) + working model

→ CT의 교합관계 기준으로  
working model 정합

abutment (Ti-base) library stitching

Final impression process with Digital

## 5) Dental CAD : data stitching



CT STL(hard tissue, soft tissue) + Plane + working model




Final impression process with Digital

## 5) Dental CAD : Crown design



Final impression process with Digital

## 5) Dental CAD : Crown design




Milling / coloring / Sintering / Glazing





Milling / coloring / Sintering / Glazing



Final prosthesis (2024-01-21)



Final prosthesis (2024-01-21)




Final prosthesis (2024-01-21)




Final prosthesis (2024-01-21)






Initial State



Provisional restoration



Final prosthesis

Bite check (2024-02-20)




Bite check (2024-02-20)




Final prosthesis (2024-01-16)



# AI Auto-Tracing





Average



**Virtual Ceph**




**AI auto-tracing**



## CT(2-tile stitching) based Virtual Ceph



Clear image, anatomical landmark




Green : ground truth  
Red : prediction

## Multi-planar Virtual Ceph ; PA

Facial Asymmetry, Mandibular Yawing, Transvers Occlusion



ROI(region of image) Projection



**Occlusal plane based projection**

2 types of Zirconia

2 hour fast sintered mono block

3 layer of different value







# bright Mono

4.5Y 2h


Only 1 Layer  
(45%, 600MPa)

## Fast Sintering

Case	Single Crown		Bridge(3-unit-Bridge)	
	Anterior	Posterior	Anterior	Posterior
Block				
bright Mono				

● Recommend      ○ Possible

**2hr Fast Sintering**



Coloring



Sintering



Final Prosthesis

**2hr Fast Sintering**



Coloring



Sintering



Final Prosthesis

**Dentium**

# Natural tooth Case\_2



Shade Taking : A3



Inner – White Opaque  
Occlusal - Trans violet  
Light gray

2h Fast Sinterng





## Natural tooth Case\_2



# Natural tooth Case\_3



Shade Taking : A3.5



Inner – White Opaque  
Occlusal - Trans violet

2h Fast Sintering

# Natural tooth Case\_3



# Natural tooth Case\_4



Shade Taking : A3



Inner – White Opaque  
Body – A3  
Occlusal - Trans violet

2h Fast Sinterng

# Natural tooth Case\_4



# Bright MTA Sealer *Plus*

Root Canal Sealing Material



## Excellent sealing and regeneration

Ultra Antibacterial Effect


Calcium Silicate → Mineralization

High Flowability → Convenience Handling


Excellent Radiopaque



Oral-exam




6M Follow-up



1Y Follow-up

Oral exam (2023-11-18)



Post-op CT (2024-02-07)


**< Mesial canal >**



**< Distal canal >**



Follow up : 7 week (2024-03-27)



## Case 2



- #46
- Natural Tooth
- Shade A3.5
- Shade Block






# Working model



# Working Model




# Cad Design



# Shade Taking



# Hyper Dent



Shade Block A2

# Coloring



Inner – White Opaque  
Cervical, Groove – A3.5  
Occlusal – Light Gray

# Glazing



# Final Prosthesis






# Bright Primer

- **Universal Primer containing 10-MDP**
- Improves Bond strength between cement and restorations
- Excellent bond strength to Zirconia & Metal & LS2



## Bond Strength




# Bright Resin Cement 2




- Strong (10-MDP) → Strong bonding to indirect restoratives
- Stable storage stability in both refrigerated and R.T storage
- Long Working time ( $\geq 2$  min) / Short Setting time ( $\leq 4$  min)




Bond Strength



Adhesion durability (72h F/U)





# bright 3-Layer

**NO** Coloring  
Staining

# 3 layer Zr block



Natural teeth prosthesis \_ upper Anterior

## Case report 1



- # 11, 12, 22
- Natural Teeth
- bright 3 Layer Block
- Shade A3

Natural teeth prosthesis \_ upper Anterior

## Final prosthesis



내면 – White opaque



## Natural tooth Case\_2



Shade Taking : A3

## Natural tooth Case\_2



# Natural tooth Case\_3




Shade Taking : A3

# Natural tooth Case\_3



# Natural tooth Case\_4




Shade Taking : A3

# Natural tooth Case\_4



# Natural tooth Case\_5



Shade Taking : A3.5

# Natural tooth Case\_5



Oral exam (2023-09-06)




Pre-op (2023-09-06)




Shade taking (2023-09-06)




Working model (bite tray impression scan)




# AI Occlusal plane (rainbow 3D viewer)



# CT STL export (rainbow 3D Viewer)




**Hard tissue**



**Soft tissue**



All data stitching  
(CT STL + Plane + working model)






Mid Line check with CT data and working model

## Tooth Axis & Mid line check



Tooth Axis & Mid Line check  
with only working model




Tooth Axis & Mid Line check  
with CT & working model



CAD (Final prosthesis)





CAD (Final prosthesis)




Crown length check with CT soft tissue data

CAD : Mounting with virtual articulator



Hyper dent



**18T 3 Layer Block**

## Milling / Coloring / Glazing



Inner – White Opauqe



Final prosthesis




## Virtual Set-up

Very effective with pts commutation  
Systematized approach for tx




# Case report




- # 13, 12, 11, 21
- Natural Teeth
- bright 3 Layer
- Shade A3

# Virtual Set-up combined with facial scanner




Very good with pts consulting and systemic tx

# Impression scan for working model



3) Virtual Set – up\_case 1

## Prosthesis design





# Facial scanner vs CT data application






**Facial scanner**  
Good for pts consulting





**CT STL**  
more precise for lab




# Prosthesis design



# Prosthesis design



# Hyper Dent



**A3 18T 3 Layer Block**

# Coloring



Inner – White Opaque


# Prosthesis design



bright 3 Layer A3




Before






After



1 Month Later







## application site

High   
- Nose  
- Nasolabial folds  
- Chin

Smile   
- Nasolabial folds  
- Marionette lines



High elastic hyaluronic acid filler

## The way to overcome Barriers of digital

Cost for investment for facial scanner and CT  
Inaccuracy with IOS  
Knowledge of material development  
Too much information and too less total education  
No turn key suggestion with practices

# Contents

BTS


Diverse applications of CT viewers

Zirconia block


Auxiliary

# Crown Guide

Surgical  
Guide




Crown




Crown Guide

Top-down design  
Minimalism



# Digital Minimalism : Crown guide

무엇을! 어떻게!




# Digital Minimalism : Crown guide

무엇을! 어떻게!

Case 2\_#17

제작과정



# Digital Minimalism : Crown guide

무엇을! 어떻게!

Case 2\_#17



Pre-op(2024-03-06)








Oral exam (2024-02-21)







# Virtual Set up



# Virtual Set up



# Cad Design




# Final Prosthesis



Pre-op(2024-03-06)



Crown guide adaptation (2024-03-06)



Post-op (2024-03-06)



Resin splinting (2024-03-08)



Bright Universal Etchant



Bright Bond Universal



Bright High flow resin



Bright Low flow resin

Provisional restoration (2024-03-08)



# MONALISA Lidocaine


MONALISA



High Elastic

Product	SMILE	HIGH ELASTIC
Form	No impurities, transparent and colorless gel	
Components	Cross-linked hyaluronic acid, 0.3% Lidocaine	
HA Concentration	24 mg/mL	
Particle Size	400 $\mu\text{m}$	900 $\mu\text{m}$
Volume	1.0 mL	
Application	Superficial dermis / Middle layer of subcutis	Deep to very deep layer of subcutis
Needle size	27 GTW*	25 GTW*
Storage Temperature	2 ~ 25 °C	


\* TW : Thin wall




▲ Arterial branches of face




▲ Arteries supplying facial regions



▲ Veins of face



▲ The blood supply of lateral forehead area



▲ Sagittal section of the lip

Safe filler

Natural image filler injection

Mutilayer

- **bone contact**
- just below the dermis

# MONALISA



25G Needle



25G Needle / 23G Cannula

# Application site



Intra-oral



## **Bone contact touch (Deep fatty layer)**

- Long-lasting
- Deep wrinkle improvement



Extra-oral

## **Superficial skin (Superficial fatty layer)**

- maintain a natural and smooth appearance
- low invasiveness



# Clinical case : Nasolabial folds & Marionette Line & Lip



# Before & After



# Before & After





Appreciate  
For attending doctors  
and staffs for helping